AQUARIUM
aquatlantis ®

AQUAPLASMA
70

70x20x48cm | 22Kg

VOLUME **67L** CAPACITY **39L**

■ 001 **14730**   □ 025 **14731**

INCLUDED
Wall bracket

EQUIPMENT **INCLUDED**

FILTRATION
MINI BIOBOX®1

Small filtration system with three different filter media that ensures thorough cleaning of the water, leaving it clean and in excellent conditions.

AQUARIUM VOLUME
BETWEEN **10 - 50L**

FILTER
CARTRIDGES
EasyBox XS

FIBER

COARSE FOAM

AQUACLAY

Non contractual photo

PUMP
EasyFlux®200

HEATER
EasyKlim+

OPTIONAL NOT INCLUDED

LIGHTING
EASY LED

Universal light units suitable for all the aquariums in the market. Also replace T5 and T8 lamps.

CONSUMPTION **≈ 10W**
PROTECTION INDEX **IPX8**

www.aquatlantis.com

AQUARIUM
aquatlantis®

AQUAPLASMA
95

95x20x48cm | 29Kg
VOLUME 91L CAPACITY 55L

■ 001 **14732**   ☐ 025 **14733**

INCLUDED
Wall bracket

EQUIPMENT **INCLUDED**

FILTRATION
MINI BIOBOX®2

Very efficient filter that exerts an excellent filtering action on the water, providing the best living conditions for fish and plants.

AQUARIUM VOLUME
BETWEEN **40 - 80L**

Non contractual photo

FILTER
CARTRIDGES
EasyBox XS

FIBER

ACTIVATED CARBON

COARSE FOAM

AQUACLAY

PUMP
EasyFlux®300

HEATER
EasyKlim+

OPTIONAL NOT INCLUDED

LIGHTING
EASY LED

Universal light units suitable for all the aquariums in the market. Also replace T5 and T8 lamps.

CONSUMPTION ≈ **14W**
PROTECTION INDEX **IPX8**

AQUAPLASMA
120

120x20x48cm | 35Kg

VOLUME **115L** CAPACITY **71L**

001 **14734**   025 **14735**

INCLUDED
Wall bracket

EQUIPMENT **INCLUDED**

FILTRATION
MINI BIOBOX®2

Very efficient filter that exerts an excellent filtering action on the water, providing the best living conditions for fish and plants.

AQUARIUM VOLUME
BETWEEN **40 - 80L**

FILTER CARTRIDGES
EasyBox XS

FIBER

ACTIVATED CARBON

COARSE FOAM

AQUACLAY

Non contractual photo

PUMP
EasyFlux®300

HEATER
EasyKlim+
OPTIONAL NOT INCLUDED

LIGHTING
EASY LED

Universal light units suitable for all the aquariums in the market. Also replace T5 and T8 lamps.

CONSUMPTION ≈ **18W**
PROTECTION INDEX **IPX8**

www.aquatlantis.com